

Stone Tools

Catalogue
2010-2011



Diamond Tools

encore[®]
DIAMOND

DS[®]

ACCURA DIAMOND TOOLS · NEOLITH BUILDING · DAVITT ROAD · DUBLIN 12
info@accura.ie www.accura.ie
TEL 00353 (0)1 610 5055

Table Of Contents

Page No.	Category	Items
1	Calibrating	Thickness-Maker / SORiMU
2	Cutting	EP Cutters / GMB Remover / GMB Vane Disc
3	Grinding	Grinding Wheels
4	Grinding	Graphiter / Gear Drum / Tong Drum
5	Drilling	Wet Core Drill / Core Bits / Non Core Bits
6	Drilling	Core Drill / Core Bits / Adaptor-CB / Thin Wall Cores / Horner
7	Carving	Metal Shaper / EP Shaper
8	Cutting	Finger Bit(Router-A) / Easy Bit(Router-B) / Adaptor-EB
9	Milling	Jo-A Router / Tank Router / Jo-A Angler / Jo-A Surfacers
10	Polishing	Super Polisher / Jo-A Polisher / Magnetic Fastener / Snail Adaptor
11	Polishing	Drain Router Wheel / Groovers / Feathering Adaptor / Hand Pad / X-Powder
12	Polishing	GMB-Pad / Dry Pad / EG-Pad / Convex Pad / DiAFLX-V
13	Polishing	DiAFLX / DiAFLX-DF / X-DiAFLX
14	Fastening	Backing Pads / Snail Adaptor / Air Polisher
15	Edging	Orion Pro / Waffle Grinder / DiAFLX-Edger
16	Edging	DiAFLX-Belt / DiAFLX-Band / Komu Expander
17	Edging	DiAFLX-Mini Cylinder / Adaptor-MC
18	Surfacing	DiAFLX-MR / DiAFLX-RR / Fan Disc / DiAFLX-Strip
19	Surfacing	Synthetic Metal disc / Resin disc / Buff disc
20	Profiling	Profile wheels / toolholders


Terms & Conditions

Price	€ EURO: minimum order of € 30.00 applies
Carriage	Delivery to European Union Please ask for current rate
Payment	Credit card or Invoice


www.accura.ie

Tel + 353 (0) 1 610 5055

e-mail: info@accura.ie

Thickness-Maker for calibrating stone, concrete or artificial stone

Outer	Specification				Unit	Euro	Remarks
	L	W	T	N			
14" (Ø350mm)	25.0	12.0	7.0	36	353.4	€1,309.82/PC	Long life with high performance : D450/L40/W12/T6 /2.0~2.5 m³
Acrylic Core-3525		Reusable				374.46	
14" (Ø350mm)	30.0	12.0	7.0	36		1,344.58	
Acrylic Core-3530		Reusable				385.52	
14" (Ø350mm)	40.0	12.0	7.0	36		1,709.56	
Acrylic Core-3540		Reusable				396.58	
16" (Ø400mm)	25.0	12.0	7.0	42		1,455.18	
Acrylic Core-4025		Reusable				393.42	
16" (Ø400mm)	30.0	12.0	7.0	42		1,651.10	
Acrylic Core-4030		Reusable				426.60	
16" (Ø400mm)	40.0	12.0	7.0	42		2,025.56	
Acrylic Core-4040		Reusable				455.04	
18" (Ø450mm)	25.0	12.0	7.0	46.0		1,813.84	
Acrylic Core-4525		Reusable				538.78	
18" (Ø450mm)	30.0	12.0	7.0	46.0		1,975.00	
Acrylic Core-4530		Reusable				549.84	
18" (Ø450mm)	40.0	12.0	7.0	46.0		2,300.48	
Acrylic Core-4540		Reusable				560.90	
20" (Ø500mm)	25.0	12.0	7.0	52.0		2,014.50	
Acrylic Core-5025		Reusable				559.32	
20" (Ø500mm)	30.0	12.0	7.0	52.0		2,196.20	
Acrylic Core-5030		Reusable				568.80	
20" (Ø500mm)	40.0	12.0	7.0	52.0		2,564.34	
Acrylic Core-5040		Reusable				579.86	

SORiMU™ on sandwich silent core

Outer	Specification				Unit	Euro	Remarks
	L	H	T	N			
12"(Ø300mm)	25.0	20.0	3.2	30N	PC	€543.52/PC	
14"(Ø350mm)	25.0	20.0	3.2	35N		639.90	
			6.0			1,004.88	
16"(Ø400mm)	25.0	20.0	3.5	44N		827.92	
			6.0			1,262.42	
18"(Ø450mm)	25.0	20.0	3.5	47N		960.64	
			6.0			1,456.76	
20"(Ø500mm)	25.0	20.0	4.8	50N		1,252.94	
			6.0			1,564.20	
Ø600mm	25.0	20.0	5.2	60N		2,077.70	
			6.0			2,260.98	
Ø640mm	25.0	20.0	6.0	65N		2,447.42	
Ø840mm	25.0	20.0	6.0	78N		4,727.36	
Ø940mm	25.0	20.0	6.5	84N		6,177.80	

Applicable Condition : D400mm Silent Saw Blade : RPM1950 F/S: 3m/min Cutting Depth: 30mm

Contour Saw Blade for cutting in curve


Outer	Length	Height	T	No/Seg.	Unit	Code	Euro	Remarks
φ100mm	20mm	7.0	4.2	13	PC	DGC115	€110.60/PC	Bore 22.23mm
φ125mm				14		DGC125	118.50	

Multi Cutter for cutting and grinding purposes in one

Outer	L	H	T	N	Unit	Code	Euro	Remarks
φ100mm	16.0	3.7	1.8	17N	PC	MC60	€151.68/PC	#60 Granite
						MC80	151.68	#80 Marble
φ125mm			1.5	20N		MC125	142.20	Dry use

Blackbird EP Cutter for cutting marble w/o chips or cracks

Outer	L	H	T	N	Unit	Code	Euro	Remarks
φ100mm	16.0	3.7	1.8	17N	PC	EPM100	€60.04/PC	22.23 use Dry
φ110mm				18N		EPM110	66.36	
φ125mm				19N		EPM125	71.10	

EP Rim Cutter for cutting or sizing marble or ceramic tile

Outer	Type	T	Grit	Unit	Code	Euro	Remarks
φ100mm	Continuous rim with 3 EP strips on core	1.5	#50/60	PC	EPC100	€72.68/PC	Wet use
φ110mm					EPC110	75.84	
φ125mm		1.6			EPC125	82.16	
φ150mm		1.8			EPC150	90.06	
φ180mm					EPC180	94.80	
φ230mm					EPC230	137.46	
φ250mm		2.0			EPC250	216.46	

EP Vanity Blade with M14 Flush Cut Fitting

Outer	L	H	T	N	Unit	Code	Euro	Remarks
φ115mm	16.0	3.7	1.8	17N	PC	EPV115	€121.66/PC	
φ125mm				18N		DPV125	134.30	
φ230mm				19N		EPV230	273.34	

GMB™ Vane disc for concave grinding

Outer	Arbor	Grit	Unit	Code	Euro	Remarks
φ105mm	M14 22.23 5/8"-11 M16	#60	PC	GMBVD	€255.96/PC	
		#120			249.64	
		#220 / #320			246.48	

GMB™ Remover for quick stock-removal with smooth finish

new/ patented / GMB



Outer	Arbor	Grit	Unit	Code	Euro	Remarks
4"(Ø100mm)	22.23 / M14 / M16 / 5/8"-11 / SF	#60	PC	GMBRM	€173.80/PC	22.23 Dry Use
		#100			167.48	
		#200, #400			164.32	
5"(Ø125mm)		#60			229.10	
		#100			224.36	
		#200, #400			219.62	

www.accura.ie

e-mail: info@accura.ie

Tel + 353 (0) 1 610 5055

Turbo Cup Wheel for grinding stone, concrete or artificial stone

Outer	T	Arbor	Grit	Unit	Code	Euro	Remarks
φ100mm	5.0	M14, 22.23, Snail	Coarse	PC	TGWC	€134.30/PC	Please state fitting required
			Medium		TGWM	€134.30/PC	
			Fine		TGWF	134.30	
		22.2	Coarse		TGSC	134.30	Sandstone / yellow

Single & Double Cup Wheel for stock removal

Outer	L	H / T	Segs	Arbor	Unit	Code	Euro	Remarks
φ40mm				M14		GGG/40	€55.30/PC	Concrete & Sandstone
φ50mm						GGG/50	63.20	
φ75mm	32.0	5.0 7.0	7N	22.23	PC	GGG/75	72.68	
φ105mm			8N			GGG/105	79.00	
φ180mm			11N			GGG/180	142.20	
φ75mm	25.0 32.0	5.0 7.0	7/7N	22.23	PC	GTC/75	107.44	
φ100mm			8/8N			GTC/100	116.92	
φ105mm						GST/105	118.50	
φ115mm						GST/115	142.20	
φ110mm			10/10N			GTC/110	134.30	
φ125mm						GTC/125	150.10	
φ180mm			11/11N			GTC/180	197.50	

X-Grinder for chamfering or beveling w/o chips or cracks


Outer	Specification				Unit	Code	Euro	Remarks
	L	H / T	Segs	Arbor				
φ100mm	32.0	7.0	9N	M14 22.23 SF	PC	TRI1	€118.50/PC	without resin
φ100mm						RGH100	126.40	resin infill #50 or #200

Continuous Cup Wheel for chamfering or Beveling stone

Outer	T	Arbor	Grit	Unit	Code	Euro	Remarks
φ100mm	4.0	M14	Stone, concrete	PC	CCW100	€116.92/PC	
φ110mm	4.5				CCW110	134.30	

Spiral Cup Wheel

Outer	T	Arbor	Concrete	Unit	Code	Euro	Remarks
φ180mm	7.0mm	22.23	Abrasive / medium	PC	GSA180	€173.80/PC	
φ180mm			Medium / hard		GCA180	173.80	

T-Grinder for chamfering or Beveling stone / Light weight


Outer	T	Arbor	Grit	Unit	Code	Euro	Remarks
φ110mm	3.0	M14 M16 5/8"-11 SF100	Coarse	PC		€145.36/PC	Please state fitting required
			Medium			142.20	
			Fine			135.88	

Black Bird / Graphite Grinding Wheel

Page No. 4

Graphiter for smooth grinding with graphite

Metal



Outer	Inner	Arbor	Grit	Unit	Code	Euro	Remarks	
φ90mm OR φ100mm	50.0	M14/ Magnetic/ Snail fitting	#30	PC	GG10030	€172.22/PC	Please state fitting required	
			#60		GG10060	170.64		
			#120, #220		GG100120	161.16		
5"(Ø125mm)	60.0		#30		GG12530	287.56		
			#60		GG12560	273.34		
			#120, #220		GG125120	268.60		

Turbo Graphiter for grinding and smoothing edge of tight corner

Metal



Outer	Inner	Arbor	Grit		Unit	Code	Euro	Remarks
φ100mm	50.0	M14/ Magnetic/ Snail fitting	#30	PC	GGT10030	€197.50/PC	Please state fitting required	
			#60		GGT10050	195.92		
			#120, #220		GGT100100	184.86		
φ115mm	60.0		#30		GGT11530	327.06		
			#60		GGT11560	320.74		
			#120, #220		GGT115120	304.94		

T-Graphiter for chamfering or Beveling stone / Light weight

Metal




Outer	T	Arbor	Grit	Unit	Code	Euro	Remarks
φ110mm	3.0	M14 M16 5/8"-11 SF100	Coarse	PC	GTGC	€173.80/PC	Please state fitting required
			Medium		GTGM	165.90	
			Fine		GTGF	159.58	


Black Bird / Bowl or Edge Grinding Drum

Gear Drum for bowl grinding

Metal



Outer	Type	Height	Arbor	N	Unit	Code	Euro	Remarks			
φ50mm	Metal bottom	35.0	1/2"gas M14 M16 5/8"-11	15N	PC	GD50	€173.80/PC	Dry or Wet Use Please specify granite or sandstone			
φ70mm				19N		GD70	197.50				
φ75mm				22N		GD75	237.00				
φ100mm				31N		GD100	339.70				
φ50mm	With bottom segments			15N		GD50BS	181.70				
φ70mm				19N		GD70BS	205.40				
φ75mm				22N		GD75BS	244.90				
φ100mm				31N		GD100BS	347.60				
φ50mm	Metal bottom	45.0		15N		GD4550	211.72	ALSO WITH RESIN INFILL : any size made to order			
φ70mm				19N		GD4570	235.42				
φ75mm				22N		GD4575	284.40				
φ100mm				31N		GD45100	391.84				
φ50mm	With bottom segments			15N		GD4550BS	214.88				
φ70mm				19N		GD4570BS	243.32				
φ75mm				22N		GD4575BS	290.72				
φ100mm				31N		GD45100BS	402.90				





Tong Drum-Sintered for bowl grinding / Accurate dimension

Metal



Outer	Height	Arbor		Grit	Unit	Code	Euro	Remarks
φ50mm	50.0	Central water feeding	M14 M16 5/8"-11 1/2"Gas Bore for CNC	#50	PC	TD5050	€221.20/PC	Wet Use Central water feed On 1/2"Gas : please add £6/PC With rubber between : please add £18.50/PC
				#100		TD50100	211.72	
				#200		TD50200	210.14	
		W/ rubber & No water holes		#50		TDR5050	344.44	
#100				TDR50100		331.80		
#200				TDR50200		328.64		
φ75mm		Central water feeding		#50		TD7550	401.32	
				#100		TD75100	366.56	
				#200		TD75200	363.40	
		W/ rubber & No water holes		#50		TDR7550	425.02	
				#100		TDR75100	406.06	
				#200		TDR75200	401.32	

www.accura.ie

e-mail: info@accura.ie

Tel + 353 (0) 1 610 5055

Wet Core Drill for drilling or boring stone or concrete



Outer	Height	Length	Arbor	Unit	Code	Euro	Remarks
52	7mm	Standard 450eff. length Can be made to different lengths	1 1/4"unc	PC	WC52	€113.76/PC	Wet Use Central Water Feeding PLEASE SPECIFY MATERIAL WHEN ORDERING
65					WC65	132.72	
78					WC78	156.42	
91					WC91	197.50	
102					WC102	211.72	
107					WC107	211.72	
127					WC127	251.22	
152					WC152	303.36	
178					WC178	426.60	
200					WC200	466.10	
250					WC250	671.50	
300					WC300	750.50	

Wet Core Drill for drilling slab granite CROWN



Outer	Height	Length	Arbor	Unit	Code	Euro	Remarks
16	8mm 2.0T	80mm ~ other lengths also available	1/2"gas	PC	WCG8016C	€83.74/PC	
20					WCG8020C	85.32	
25					WCG8025C	88.48	
28					WCG8028C	91.64	
30					WCG8030C	94.80	
35					WCG8035C	104.28	

Wet Core Drill for drilling slab granite SEGMENTAL



Outer	Height	Length	Segs	Arbor	Unit	Code	Euro	Remarks
25	8mm 3.5T	80mm ~ other lengths also available	3	1/2"gas	PC	WCG8016S	€88.48/PC	
28			3			WCG8020S	91.64	
30			4			WCG8025S	94.80	
35			4			WCG8028S	104.28	
40			5			WCG8030S	110.60	

DRY Core Drill for drilling slab granite SEGMENTAL





Outer	Length	Arbor	Unit	Code	Euro	Remarks
15	60mm	M14	PC	DCG15	€66.36/PC	Dry drilling ~ ideal for finishing work in situ ~ no water needed
25				DCG25	75.84	
35				DCG35	86.90	

Non Core Bits for drilling granite & hard materials




Forming grilles & hard materials							
Outer	Height	Attachment	Unit	Code	Euro	Remarks	
φ4mm	10.0	O/D 10mm Shank / 50mm Length	PC	NCD6S	€44.24/PC	Wet Use	
φ5mm				NCD8S	44.24		
φ6mm				NCD8S	47.40		
φ8mm				NCD8S	50.56		
φ10mm				NCD10S	53.72		
φ6mm	10.0	1/2"gas / 50mm length		NCD6	61.62		
φ8mm				NCD8	63.99		
φ10mm				NCD10	66.36		





Core Drill for drilling or boring stone or concrete

Outer	Height	Length	Arbor	Unit	Code	Euro	Remarks
φ10~15mm	10	110.0	1/2"gas M14 M16 5/8"-11	PC	DSD10	€110.60/PC	 Wet Use Water Feeding - GMB on side : 15% on price Central Option: Plus
φ16~20mm					DSD16	112.18	
φ21~25mm					DSD21	115.34	
φ26~30mm					DSD26	116.92	
φ31~35mm					DSD31	118.50	
φ36~40mm					DSD36	121.66	
φ41~45mm					DSD41	123.24	
φ46~50mm					DSD46	151.68	
φ51~55mm					DSD51	153.26	
φ56~60mm					DSD56	156.42	
φ61~65mm					DSD61	158.00	
φ66~70mm					DSD66	167.48	
φ71~75mm					DSD71	170.64	
φ76~80mm					DSD76	173.80	
φ81~85mm					DSD81	176.96	
φ86~90mm					DSD86	180.12	
φ91~95mm					DSD91	184.86	
φ96~100mm					DSD96	197.50	
φ101~105mm					DSD101	259.12	
φ105~110mm					DSD105	308.10	

Core Bits / Adaptor for drilling or boring stone, glass or concrete

Outer	Height	Attachment	Unit	Code	Euro	Remarks
φ5mm	10.0	O/D 10mm Shank with 100mm Length	PC	DSNC5	€48.98/PC	1) Wet Use 2) Central Water Feeding 3) Any other specification: 4) Made to order Accessory : Adaptor-CB: see below
φ6mm				DSNC6	50.56	
φ6.8mm				DSNC6.8	52.14	
φ8mm				DSNC8	53.72	
φ10mm				DSNC10	55.30	
φ12mm				DSNC12	60.04	
φ15mm				DSNC15	63.20	
φ30mm	40mm	Adaptor to 1/2"Gas	PC	DSCBADP	90.06	Use with non core bit

Thin wall core for CNC

O/D	Segment H	T	Arbor	Unit	Code	Euro	Remarks
φ25mm	7mm	1.5mm	1/2"Gas	PC	WCTW25	€107.44/PC	For drilling granite / CNC
φ28mm	7mm				WCTW28	110.60	
φ35mm	8mm				WCTW35	120.08	


Horn EP Shaper for smoothing aperture stone

O/D	Type	Grit	Unit	Code	Euro	Remarks
φ25mm	Cone	#30	PC	EPHCON30	€99.54/PC	6mm X 45mm Shank
		#60		EPHCON60	79.00	
		#120 #220		EPHCON120	67.94	
φ20mm	Cylinder	#30		EPHCYL30	109.02	
		#60		EPHCYL60	85.32	
		#120 #220		EPHCYL120	72.68	

Horn Resin Polisher for polishing aperture stone

O/D	Type	Grit	Unit	Code	Euro	Remarks
φ25mm	Cone	#100~#3000	PC	HCON100	€35.55/PC	6mm X 45mm Shank
		DF(Black/White)		HCONB/W	39.50	
φ20mm	Cylinder	#100~#3000		HCYL100	36.34	
		DF(Black/White)		HCYLB/W	41.87	

Metal Shaper for engraving or sculpturing stone



Model No.	Type	O/D	W	H	Unit	Code	Euro	Remarks
No.16	Gear	40.0	4.5	9.0	PC	MBS16	€104.28/PC	6mm X 70mm Shank
No.17	Saw	50.0	9.0	4.0		MBS17	97.96	
No.18	Coin	30.0				MBS18	105.86	
No.21	Funnel	16.0		12.0		MBS21	99.54	
No.26	Cylinder	10.0		25.0		MBS26	104.28	
No.27	Round	10.0		20.0		MBS27	104.28	
No. 27-XL		10.0		35.0		MBS27 XL	110.60	
No.29	Ring	25.0		3.0		MBS29	94.80	

EP Shaper for engraving or sculpturing stone accurately




Type	O/D	W	H	Grit	Unit	Code	Euro	Remarks	
Ball	5.0	5.0		#60 (also available in #30)	PC	EPBALL	€85.32/PC	6mm X 70mm Shank	
	10.0	10.0					85.32		
	15.0	15.0					86.90		
	19.0	19.0					93.22		
	25.0	25.0					91.64		
Cylinder	8.0			#30		EPCYL	72.68		
				#60			60.04		
				#100			56.88		
Cone	15.0					#30	EPCONE		58.46
	25.0					#60			53.72
						#30			101.12
			#60			86.90			
Candle	7.0			#30		EPCANDLE	91.64		
	10.0			#60			85.32		
				#30			99.54		
				#60			93.22		
Coin	19.0	2.0	#30	EPCOIN		66.36			
			#60			53.72			
		5.0	#30			97.33			
			#60			60.04			

Finger Bit (Router Bit-A) for cutting bowl on CNC machine



Outer	Length	W	T	N	Unit	Code	Euro	Remarks
φ20mm	30	4.5	5.0	5N	PC	RA2030	€189.60/PC	Wet Use ~ Central water feeding STRAIGHT OR TWIST SEGMENT All with bottom segment ~ for granite or sandstone ~ please specify
	40					RA2040	202.24	
	50					RA2050	221.20	
φ23mm	30					RA2330	184.86	
	40					RA2340	197.50	
	50					RA2350	216.46	
φ25mm	30					RA2530	180.12	For engineered stone router without bottom segment
	40					RA2540	189.60	
	50					RA2550	208.56	
φ35mm	50			RA3550		252.80		
	60			RA3560		254.38		
	85			RA3585		303.36		





GMB™-Finger Bit for marble or tile



Outer	Length	W	T	Grit	Unit	Code	Euro	Remarks
φ20mm	30	35.0	1/2"gas M14 M16 5/8"-11	#60	PC	GMBR2030	€156.42/PC	1) Wet Use Central Water Feeding 2) 3) Any other specification: Made to order
	40					GMBR2040	161.16	
	50					GMBR2050	165.90	
φ25mm	30					GMBR2530	173.80	
	40					GMBR2540	178.54	
	50					GMBR2550	183.28	


Easy-Bit (Router-B) for cutting bowl on NC machine



Standard



Turbo



Turbo Screw





Castle


CNC
Turbo

Outer	Type	Height	Arbor	Unit	Code	Euro	Remarks
Ø20mm	Standard	15.0	M8 M12	PC	RBS15	€66.36/PC	1) Wet Use Central water feed 2) 3) Accessory : Adaptor-EB:
		20.0			RBS20	80.58	
	Turbo	15.0			RBT15	74.26	
		20.0			RBT20	91.64	
	Turbo Screw	15.0			RBTS15	102.70	
		20.0			RBTS20	113.76	
	Castle	15.0			RBC15	75.84	
		20.0			RBC20	93.22	
	CNC Turbo	15.0			RBCNC	118.50	

Adaptor-EB for Easy-bit(Router-B)




Length	Type	Arbor	Unit	Code	Euro	Remarks
100mm 150mm	Non Sleeve	1/2"Gas / M8 or M12	PC	RBFS	€71.10/PC	
	(Adaptor-EBS) w/ sleeve			RBFS	85.32	
100mm	For Easy-Bit-CNC			RBFCNC	71.10	

Jo-A™ Router for forming drainboard

Outer	H	W	T	N	Unit	Code	Euro	Remarks
φ 80mm	20	8.0 #50/60	5.0	19N	PC	JOAR80	€293.88/PC	Wet use CNC Sandstone or Granite, ALSO AVAILABLE IN #30/40
φ 85mm				20N		JOAR85	298.62	
	30		JOAR85H30	342.86				
φ 93mm	20	#30	20N	JOAR93		330.22		
			JOAR9330	358.66				
φ 100mm	30	8.0 #50/60	7.0	22N		JOAR100	358.66	
						JOAR100H30	401.32	
φ 135mm	15			22N		JOAR135	395.00	
φ 150mm				28N		JOAR150	425.02	

Tank Router for forming drainboard on NC / CNC machine

Outer	H	W	T	N	Unit	Code	Euro	Remarks
φ80mm	20.0	15.0	6.0	12N	PC	TR80	€317.58/PC	On 1/2"Gas use Wet
φ 100mm				15N		TR100	379.20	
φ 125mm				19N		TR125	440.82	
φ 150mm				22N		TR150	584.60	
φ 165mm				24N		TR165	597.24	Inner φ60mm

Jo-A™ Metal Angler for forming angled brim on drainboard

Outer	Height	Type	Grit	Unit	Code	Euro	Remarks
φ113mm	12mm	60°	#30	PC	JOAM6030	€284.40/PC	With bottom segments plus €7.90
			#50		JOAM6050	281.24	
			#100 #200		JOAM60100	278.08	
φ124mm		45°	#30		JOAM4530	300.20	
			#50		JOAM4550	295.46	
			#100 #200		JOAM45100	290.72	
φ140mm		30°	#30		JOAM3030	319.16	
			#50		JOAM3050	314.42	
			#100 #200		JOAM30100	311.26	

Jo-A™ Surfer for surfacing drainboard

Outer	Angle	T	Grit	Unit	Code	Euro	Remarks
φ 100mm	90°	5.0	#50	PC	JOAS10050	€319.16/PC	Magnetic or snail fittings
			#100 #200		JOAS100100	297.04	
φ 125mm			#50		JOAS12550	418.70	
			#100 #200		JOAS125100	406.06	

Jo-A™ EP Angler for smoothing angled brim of drainboard

Outer	Angle	T	Grit	Unit	Code	Euro	Remarks
φ 113mm	60°	5.0	#60	PC	JOAEP6060	€257.54/PC	1/2" gas or magnetic fitting
			#120 #220		JOAEP60120	244.90	
φ 124mm	45°		#60		JOAEP4560	298.62	
			#120 #220		JOAEP45120	276.50	
φ 140mm	30°		#60		JOAEP3060	339.70	
			#120 #220		JOAEP30120	317.58	

Adaptor-JAA for Jo-A Router/Metal/EP Angler on 1/2"Gas

O/D	Height	Fixing tools	Arbor	Unit	Code	Euro	Remarks
Ø80mm	40.0mm	3 screws	1/2"Gas	PC	AD/JOAR	€77.42/PC	For JOA Router
Ø80mm	40.0mm	4 screws	1/2"Gas	PC	AD/JOAM	77.42	For JOA Angler

Super Polisher for engineered stone as Sile stone, Ceasor stone


new



Outer	Angle	H	Grit	Unit	Code	Euro	Remarks
φ100mm	90°	12.0	#100~#3000	PC	JOAESS100	€135.88/PC	Snail lock or magnetic attachment
			DF(Black/White)		JOAESSB/W	146.94	
φ114mm	60°		#100~#3000		JOAES60100	142.20	
			DF(Black/White)		JOAES60B/W	150.10	
φ124mm	45°		#100~#3000		JOAES45100	150.10	
			DF(Black/White)		JOAES45B/W	162.74	
φ140mm	30°		#100~#3000		JOAES30100	N/A	
			DF(Black/White)		JOAES30B/W	N/A	

Jo-A™ Polisher for polishing drainboard on granite, marble

Outer	Angle	H	Grit	Unit	Code	Euro	Remarks
φ100mm	90°	12.0	#30	PC	JOAPS30	€107.44/PC	
			#50		JOAPS50	97.96	
			#100~#3000		JOAPS100	88.48	
			DF(Black/White)		JOAPSB/W	105.86	
φ114mm	60°		#30		JOAP6030	124.82	Snail lock or magnetic attachment
			#50		JOAP6050	113.76	
			#100~#3000		JOAP60100	105.86	
			DF(Black/White)		JOAPS60B/W	123.24	
φ124mm	45°		#30		JOAP4530	142.20	
			#50		JOAP4550	131.14	
			#100~#3000		JOAP45100	124.82	
			DF(Black/White)		JOAP45B/W	132.72	
φ140mm	30°		#30		JOAPS3030	158.00	
			#50		JOAP3050	145.36	
			#100~#3000		JOAP30100	135.88	
			DF(Black/White)		JOAP30B/W	143.78	

Magnetic Fastener for quick change of Jo-A Metal/EP Angler

O/D	ATTCH	Unit	Code	Euro	Remarks
φ80mm	Fixed with 4 M8 screws to angler	PC	MF	€60.83/PC	

Magnetic Holder for magnetic system / JO-A Metal, EP, Polishers

O/D	Arbor	Unit	Code	Euro	Remarks
φ80mm	M14 M16 5/8"-11	PC	MH	€82.16/PC	
	1/2"Gas		MHBSP	140.62	

Female Snail Back Adapter for Jo-A Polisher

Width	Type	Unit	Code	Euro	Remarks
φ100mm	ALUMINIUM M14(F) - snail back	PC	ADAP/F100	€45.03/PC	
	RUBBER DOMED M14(F) - snail back		ADAP/F100R	78.84	

Drain Grooves

Page No. 11

Drain Router Wheel for drain grooves



Outer	Type	Grit	Unit	Code	Euro	Remarks
φ127mm	Drain grooves	#50/60	PC	DRW60	€252.80/PC	
		#60/80		DRW80	240.16	
		#120		DRW120	224.36	

Groover for shaping, smoothing and polishing grooves on kitchen top



O/D	Purpose	O/D	Grit	Unit	Code	Euro	Remarks
φ10mm	Forming	Metal	#30	PC	MBG1030	€126.40/PC	Groover-Resin : Use with feathering adaptor
			#60		MBG1060	115.34	
	Smoothing	EP	#120, #220		EPG10120	112.18	
	Polishing	Resin	#100~#3000		G10100	41.87	
			DF(Black/White)		G10B/W	52.14	
φ12mm	Forming	Metal	#30		MBG1230	137.46	
			#60		MBG1260	126.40	
	Smoothing	EP	#120, #220		EPG12120	116.92	
	Polishing	Resin	#100~#3000		G12100	44.24	
			DF(Black/White)		G12B/W	55.62	
φ15mm	Forming	Metal	#30		MBG1530	142.20	
			#60		MBG1560	127.98	
	Smoothing	EP	#120, #220		EPG15120	121.66	
	Polishing	Resin	#100~#3000		G15100	46.61	
			DF(Black/White)		G15B/W	57.83	

Adaptor-G for Groover-Metal and EP



O/D	H	Arbor	Unit	Code	Euro	Remarks
φ30mm	40mm	1/2"Gas	PC	EPGF	€52.14/PC	

Feathering Adaptor for Groover-Resin



Length	Purpose	Arbor	Unit	Code	Euro	Remarks
150mm	feathering to level grooves	1/2"Gas	PC	FA	€511.92/PC	

Hand Pad



Length	H	Material	Grit	Unit	Code	Euro	Remarks
88mm	54mm	Copper	#50	PC	XHP50	€44.87/PC	
			#100 #200		XHP100	40.76	
		Resin	#200 ~ #3000		HP200	15.48	
			DF(Black/White)		HPB/W	21.33	

X-Powder for mirror shine




Colour	Specification	Unit	Code	Euro	Remarks
Black or White	200g/bottle	Bt	POWB/W	€28.44/PC	use sparingly with very little water & felt disc


www.accura.ie

e-mail: info@accura.ie


Tel + 353 (0) 1 610 5055

GMB™ Pad for polishing stone with 5 steps**new**

Outer	Inner	T	Grit	Bond	Unit	Code	Euro	Remarks
φ75mm	17.0	2.6	GP-1	GMB	PC	GMBP1	€72.68/PC	GP-3+ : hard stone for
			GP-2			GMBP2	66.36	
			GP-3			GMBP3	66.36	
			GP-3+			GMBP3+	66.36	
			GP-4	Resin		GMBP4	39.50	
			GP-5			GMBP5	39.50	
φ100mm			GP-1	GMB		GMBP1	104.28	
			GP-2			GMBP2	93.22	
			GP-3			GMBP3	93.22	
			GP-3+			GMBP3+	93.22	
			GP-4	Resin		GMBP4	45.82	
			GP-5			GMBP5	45.82	
φ125mm			GP-1	GMB		GMBP1	135.88	
			GP-2			GMBP2	121.66	
			GP-3			GMBP3	121.66	
			GP-3+			GMBP3+	121.66	
			GP-4	Resin		GMBP4	69.52	
			GP-5			GMBP5	69.52	

Dry-Pad for polishing stone dry**new**

Outer	Inner	Grit	Unit	Code	Euro	Remarks
φ100mm	17.0	#50	PC	PD10050	€44.24/PC	Recommended Max RPM 2500: soak briefly in water before use
		#100~#3000		PD100100	41.08	
		Shiner #6500		PD1006500	45.82	

EG™-Pad for polishing engineered stone e.g. Sile, Ceasor stone**new**

Outer	Inner	Grit	Unit	Code	Euro	Remarks
φ100mm	17.0	#50	PC	EGP10050	€41.08/PC	
		#100~#3000		EGP100100	37.92	
		Shiner #6500		EGP1006500	42.66	

Convex Pad for ogee or bowl polishing**patented**

Outer	I	ATTCH	Grit	Unit	Code	Euro	Remarks	
φ75mm	17.0.	Velcro	#50	PC	CP7550	€47.40/PC	Accessory:	PadBacker
			#100~#3000		CP75100	37.92		
			DF(Black/White)		CP75B/W	53.72		
φ100mm			#50		CP10050	58.46		
			#100~#3000		CP100100	50.56		
			DF(Black/White)		CP100B/W	66.36		

DiAFLX™-V (Turbo Resin) for tight corner

Outer	N	ATTCH	Grit	Unit	Code	Euro	Remarks
φ90mm	4N	Velcro	#50	PC	DVSL50	€39.50/PC	Accessory: Backer Pad
			#100~#3000		DVSL100	31.60	
			DF(Black/White)		DVSLTB/W	43.45	

Jo-Ta™-Polisher for polishing edge without waves

Outer	I	ATTCH	Grit	Unit	Code	Euro	Remarks
φ110mm	17.0.	Snail / Magnetic	#30	PC	JOTA30	€126.40/PC	
			#50		JOTA50	110.60	
			#100~#3000		JOTA100	94.80	
			DF(Black/White)		JOTAB/W	123.24	

www.accura.ie


e-mail: info@accura.ie

Tel + 353 (0) 1 610 5055

DiAFLX Series


Page No. 13

X-DiAFLX™ (Copper bond) for polishing stone




Outer	Inner	T	Grit	Unit	Code	Euro	Remarks
φ 75mm	17.0	2.6	#30	PC	XP7530	€85.32/PC	Wet use
			#50		XP7550	72.68	
			#100 #200		XP75100	56.88	
#30			XP10030		86.90		
#50			XP10050		80.58		
#100 #200			XP100100		67.94		
φ 125mm			#30		XP12530	129.56	
			#50		XP12550	110.60	
			#100 #200		XP125100	104.28	

DiAFLX™ for polishing stone



Outer	Type	T	Grit	Unit	Code	Euro	Remarks
φ 50mm	Premium	2.6	#30	PC	P5030	€28.44/PC	Wet use
			#50		P5050	24.65	
			#100~#3000		P50100	21.49	
	Supreme	3.4	#30		PS5030	41.87	
			#50		PS5050	37.13	
			#100~#3000		PS50100	33.18	
φ 75mm	Standard	2.4	#30		PE7530	34.76	
			#50		PE7550	30.81	
			#100~#3000		PE75100	24.65	
	Premium	2.6	#30		P7530	37.92	
			#50		P7550	33.18	
			#100~#3000		P75100	26.07	
φ 100mm	Standard	2.4	#30		PE10030	41.08	
			#50		PE10050	37.13	
			#100~#3000		PE100100	30.02	
	Premium	2.6	#30		P10030	44.24	
			#50		P10050	37.92	
			#100~#3000		P100100	33.18	
	Supreme	3.4	#30		PS10030	48.98	
			#50		PS10050	45.03	
			#100~#3000		PS100100	40.29	
φ 125mm	Standard	2.4	#30		PE12530	53.72	
			#50		PE12550	46.61	
			#100~#3000		PE125100	44.24	
	Premium	2.6	#30		P12530	55.30	
			#50		P12550	48.98	
			#100~#3000		P125100	45.82	

DiAFLX™-DF for shining stone / mirror finish




Outer	Inner	T	Color	Unit	Code	Euro	Remarks
φ 50mm	17.0	3.0	Black or White	PC	P50B/W	€33.18/PC	
φ 75mm					P75B/W	39.50	
φ 100mm					P100B/W	50.56	
φ 125mm					P125B/W	60.04	


www.accura.ie

e-mail: info@accura.ie

Tel + 353 (0) 1 610 5055

Backer Pad for DiAFLX, Convex Pad, DiAFLX-V

O/D	Type	Arbor	Unit	Code	Euro	Remarks
φ 50mm	Flexible / Rigid	M14 M16 5/8"-11 M24	PC	B50F/RM14	€12.64/PC	
φ 75mm				B75F/RM14	18.96	
φ 100mm				B100F/RM14	23.70	
φ 125mm				B125F/RM14	28.44	

Snail Adaptor

O/D	Size	Type	Purpose	Unit	Code	Euro	Remarks	
ϕ 100mm	SF100	-R	Rigid	PC	B100RSB	€15.01/PC		
		-S	Soft		B100FSB	19.37	5mm Sponge on SF	
		-O	For Orinon Pro		B100OSB	20.54	13mm Height	
ϕ 125mm	SF125	-E	For DiAFLX-Edger		B125SB	25.60		
ϕ 150mm	SF150				B150SB	30.65		

Female Snail Back Adapter

Width	Type	Unit	Code	Euro	Remarks
φ100mm	ALUMINIUM M14(F) - snail back	PC	ADAP/F100	€45.03/PC	
	RUBBER DOMED M14(F) - snail back		ADAP/F100R	78.84	

Toolholders ISO 40 / ISO 50 / HSK 80B

Grinding Wheel Holder

Drill Point Holder

Precision made, coated tool holders for smooth, long lasting, accurate performance

BAVELLONI, BREMBANBA N.T. O.T, INTERMAC, BRETON, VEM, NOAT, PEDRINI, BIMATECH, THIBAUT, DENVER, TECHNOVEMA

Collet Chuck Holder

Retention Knob

AW-7 ENCORE Air Polisher

Comes complete with

- * Water hose & adaptor
- * Side handle
- * Lubrication oil
- * Wrench
- * M14 Backing pad



Length 246mm
Weight 1.17 kgs

€ 308.10

SPECIFICATIONS

Air consumption	0.22 m ³ /min
Air pressure	90 PSI
Air inlet	1/4 inch
Air speed	4500 RPM max
Hose size (I.D)	6.5mm
Sound pressure	84dBA
Vibration	<2.5m/sec
Spindle	M14


www.accura.ie

Tel + 353 (0) 1 610 5055


e-mail: info@accura.ie

ORiON-Pro for profiling bullnose on single-rocking head machine


Outer	ATTCH	Material	Type	Grit	Unit	Code	Euro	Remarks
φ100mm	Snail Fitting	Metal	Rigid	OP-1	PC	OP1	€442.40/PC	Thickness 8mm
		Graphite		OP-2		OP2	426.60	Snail Adaptor-O:
		Copper		OP-3		OP3	118.50	
		Resin		OP-4		OP4	56.88	
			Soft with Velcro	OP-5		OP5	52.14	
				OP-6		OP6	52.14	
	Snail Adaptor-O		H17mm			Snail Adaptor-O	24.49	

Waffle Edger for grinding **Straight flat edge** of stone


Outer	Inner	ATTCH	Grit	Unit	Code	Euro	Remarks	
4"(Ø100mm)	20.0	SF125	#50 #60	PC	WG10050	€156.42/PC		
			#120 #170		WG100120	150.10		
			#220 #320		WG100200	140.62		
Ø130mm	50.0		#50 #60		WG13050	655.70		
			#120 #170		WG130120	578.28		
			#220 #320		WG130220	570.38		

Graphite Edger for grinding **edge** of stone


Outer	Inner	ATTCH	Grit	Unit	Code	Euro	Remarks
φ125mm	60.0	SF125	#30	PC	GE12530	€312.84/PC	Chamfered Edge
			#60		GE12550	309.68	
			#120 #220		GE125120	293.88	
φ150mm	80.0		#30		GE15030	382.36	
			#60		GE15050	380.78	
			#120 #220		GE150120	363.40	

DiAFLX™-Copper Edger for smoothing **edge** of stone


Outer	Inner	ATTCH	Grit	Unit	Code	Euro	Remarks
φ125mm	40.0	with Velcro	#30	PC	XP12530	€181.70/PC	Snail Adaptor-E :
			#50		XP12550	154.84	
			#100 #200		XP125100	145.36	
φ150mm			#30		XP15030	240.16	
			#50		XP15050	218.04	
			#100 #200		XP150100	192.76	
φ125mm	40.0	5mm rubber glued on SF	#30		XP12530SB	202.24	
			#50		XP12550SB	176.96	
			#100 #200		XP125100SB	165.90	
φ150mm			#30		XP15030SB	265.44	
			#50		XP15050SB	252.80	
			#100 #200		XP150100SB	221.20	

DiAFLX™-Resin Edger for polishing **edge** of stone

Outer	Inner	ATTCH	Grit	Unit	Code	Euro	Remarks
φ125mm	40.0	with Velcro	#50	PC	P12550	€65.57/PC	Snail Adaptor-E :
			#100~#3000		P125100	63.20	
			DF(Black/White)		P125B/W	80.58	
φ150mm			#50		P15050	104.28	
			#100~#3000		P150100	94.80	
			DF(Black/White)		P150B/W	107.44	
φ125mm	40.0	5mm rubber glued on SF	#50		P12550SB	91.64	
			#100~#3000		P125100SB	88.48	
			DF(Black/White)		P125B/WSB	113.76	
φ150mm			#50		P15050SB	140.62	
			#100~#3000		P150100SB	131.14	
			DF(Black/White)		P150B/WSB	142.20	

Ring Edger for polishing **edge** of stone

Outer	Inner	ATTCH	Grit	Unit	Code	Euro	Remarks
φ125mm	40.0	Glued on SF125	#50	PC	RI50	€104.28/PC	Chamfered Edge
			#100~#3000		RI100	94.80	

DiAFLX™-Copper Belt for external or internal edge of stone

Outer	H	ATTCH	Grit	Unit	Code	Euro	Remarks
φ75mm	42.0	Komu- Expander with Twist spindle	#30	PC	XB7530	€154.84/PC	
			#50		XB7550	135.88	
			#100 #200 #400		XB75100	126.40	
φ100mm			#30		XB10030	197.50	
			#50		XB10050	184.86	
			#100 #200 #400		XB100100	167.48	

DiAFLX™-Resin Belt for external or internal edge of stone

Outer	H	ATTCH	Grit	Unit	Code	Euro	Remarks
φ75mm			#50		RB7530	€69.52/PC	
			#100~#3000		RB7550	63.20	
			DF(Black/White)		RB75100	79.00	
φ100mm			#50		RB10030	88.48	
			#100~#3000		RB10050	83.74	
			DF(Black/White)		RB100100	102.70	

Komu Expander - TS for DiAFLX-Belt


O/D	H	Type	Purpose	Unit	Code	Euro	Remarks
Ø75mm	42.0	Rubber	For DiAFLX-Belt		KMEX75	€57.67/PC	
Ø100mm					KMEX100	67.94	

Twist Spindle for Komu-Expander

Height	Arbor		Unit	Code	Euro	Remarks
35mm	M14 M16 5/8"-11		PC	TS	€31.60/PC	

DiAFLX™-elastic Band for external or internal edge of stone on CNC or NC machine

Outer	Bond	ATTCH	Grit	Unit	Code	Euro	Remarks
3"(Ø75mm)	Copper	Expander- DBC / Adaptor-Tri	#30	PC	XBAS7530	€202.24/PC	
			#50		XBAS7550	189.60	
			#100 #200 #400		XBAS75100	173.80	
	Resin		#50		RBAS7550	104.28	
			#100~#3000		RBAS75100	96.38	
			DF(Black or White)		RBASB/W	113.76	


Komu Expander-DBC for external or internal edge of stone on CNC or NC machine

Article	O/D	Height	I/D	Unit	Code	Euro	Remarks
Expander-DBC	Ø66.67	40.00	Ø15 / Ø30 / Ø35mm	PC	KMEXDBC	€58.46/PC	
Expander-DBCS	Ø70		Ø30 / Ø35mm		KMEXDBCS	77.42	

Adaptor-Tri for three different grits of DiAFLX™-Band in one

O/D	ATTCH	Unit	Code	Euro	Remarks
Ø75mm	1/2"Gas with 3 plates in Aluminum	PC	ADAP/TRI	€218.04/PC	



DiAFLX™-Mini Cylinder for internal corner of bowl on CNC, NC or hand-held machine

Outer	Bond	Height	Adaptor	Grit	Unit	Code	Euro	Remarks
Ø20mm	Metal	45.0mm	Adaptor-MC2045	#50	PC	DMD2045MB	€139.04/PC	
				#100 #200			132.72	
	Copper			#50		DMD2045X	102.70	
				#100 #200			97.96	
	Resin			#100~ #3000		DMD2045R	61.62	
				DF(Black or White)			75.84	
Ø25mm	Metal	45.0mm	Adaptor-MC2545	#50	PC	DMD2545MB	192.76	
				#100 #200			186.44	
	Copper			#50		DMD2545X	118.50	
				#100 #200			112.18	
	Resin			#100~ #3000		DMD2545R	74.26	
				DF(Black or White)			86.90	
Ø38mm	Metal	45.0mm	Adaptor-MC3845	#50	PC	DMD3845MB	227.52	
				#100			206.98	
	Copper			#50		DMD3845X	146.94	
				#100			139.04	
	Resin			#100~ #3000		DMD3845R	86.90	
				DF(Black or White)			104.28	
	Metal	55.0mm	Adaptor-MC3855	#50	PC	DMD3855MB	270.18	
				#100			255.96	
	Copper			#50		DMD3855X	165.90	
				#100			158.00	
	Resin			#100~ #3000		DMD3855R	99.54	
				DF(Black or White)			120.08	

Adaptor-MC for DiAFLX-Mini Cylinder

Adaptor-MCU



Adaptor-MCD




Adaptor-MCH

Article Nr.	Height	Purpose	Arbor	Unit	Code	Euro	Remarks
Adaptor-MC 2045	45.0mm	Ø20mm	1/2"Gas / M8	PC	ADAP/DMD	€94.80/PC	
Adaptor-MC 2545		Ø25mm	1/2"Gas / M12			105.86	
Adaptor-MCU 3845		Ø38mm	1/2"Gas / M25			116.92	
Adaptor-MCD 3845			M14 / M25			94.80	
Adaptor-MCU 3855	55.0mm		1/2"Gas / M25			126.40	
Adaptor-MCD 3855			M14 / M25			105.86	
Adaptor-MCH 2045	45.0mm	Ø20mm	M14 M16 5/8"-11			88.48	
Adaptor-MCH 2545		Ø25mm				94.80	
Adaptor-MCH 3845		Ø38mm				105.86	

DiAFLX™-MR for removing lippage

light floor machine



Outer	N	Type	ATTCH	Grit	Unit	Code	Euro	Remarks
φ90mm	4N	W/O resin	Velcro	#30	PC	DRMR30	€110.60/PC	 Unique segments erase uneven areas of flooring
				#60		DRMR60	101.12	
				#120		DRMR120	91.64	
		With Synthetic Resin		#30		DRMR30R	142.20	
				#60		DRMR60R	131.14	
				#120		DRMR120R	118.50	

DiAFLX™-RR for polishing floor

light floor machine



Outer	T	ATTCH	Grit	Unit	Code	Euro	Remarks
φ90mm	5.0.	Velcro	#50	PC	DRRR50	€53.72/PC	High gloss polishing. Restores deep natural colour. Very long life.
			#100~#3000		DRRR100	48.98	
			DF(Black/White)		DRRRB/W	53.72	
φ100mm			#50		DRFD50	64.78	
#100~#3000			DRFD100		60.04		
DF(Black/White)			DRFDB/W		64.78		

FAN Metal for removing lippage

heavy floor machine



Outer	I	Type	ATTCH	Grit	Unit	Code	Euro	Remarks
OR110	IR75	7.0	Velcro	#30	PC	FDM30	€129.56/PC	Fast & efficient grinding of uneven floor. Long life on various materials.
				#60		FDM60	115.34	
				#120		FDM120	110.60	

FAN Resin for polishing floor

heavy floor machine



Outer	I	ATTCH	Grit	Unit	Code	Euro	Remarks
OR110	IR75	Velcro ABS-Support	#50	PC	FDR50	€45.82/PC	High gloss polishing. Restores deep natural colour. Very long life.
			#100~#3000		FDR100	41.08	
			DF(Black/White)		FDRB/W	64.78	

DiAFLX™-Strip for drum or customer-shape




Material	Length	W	Grit	Unit	Code	Euro	Remarks
Copper	200mm	40mm	#30	PC	DSX20030	€82.95/PC	For grinding/smoothing
			#50		DSX20050	75.84	
			#100 #200		DSX200100	67.94	
	250mm	40mm	#30		DSX25030	90.06	
			#50		DSX25050	76.63	
			#100 #200		DSX250100	69.52	
	300mm	40mm	#30		DSX30030	95.27	
			#50		DSX30050	82.16	
			#100 #200		DSX300100	77.42	
Resin	200mm	40mm	#50		DS20050	39.50	For high gloss polishing. #200~#3000: #200, #400, #800, #1500, #3000
			#100~#3000		DS200100	34.76	
			DF(Black/White)		DS200B/W	44.24	
	250mm	40mm	#50		DS25050	45.82	
			#100~#3000		DS250100	41.08	
			DF(Black/White)		DS250B/W	48.98	
	300mm	40mm	#50		DS30050	48.98	
			#100~#3000		DS300100	42.66	
			DF(Black or White)		DS300B/W	53.72	




O/D	N	ATTCH	Grit	Unit	Code	Euro	Remarks	
φ150mm	6N	Velcro or Screws	#50	PC	MRD15050	€279.66/PC	Produces highest quality finish on raw materials. Unique design to prevent edge damage. Can be adapted to almost any radial arm machine. Grits #100, #200, #400, #800, #1500, #3000	
			#100~#3000		MRD150100	249.64		
φ200mm	12N		#50		MRD20050	395.00		
			#100~#3000		MRD200100	347.60		
φ250mm	12N		#50		MRD25050	435.29		
			#100~#3000		MRD250100	394.21		
φ300mm	14N		#50		MRD30050	519.82		
			#100~#3000		MRD300100	458.99		
φ350mm	24N		#50		MRD35050	805.80		
			#100~#3000		MRD350100	733.12		
φ400mm	32N		#50		MRD40050	963.80		
			#100~#3000		MRD400100	876.90		
φ500mm	64N		#50		MRD50050	2,537.48		
			#100~#3000		MRD500100	2,322.60		

Resin Disc for polishing surface of stone




O/D	N	ATTCH	Grit	Unit	Code	Euro	Remarks
φ150mm	6N	Velcro or Screws	#200 ~3000	PC	RD150	€90.06/PC	Various bonds available according to type of stone. Designed for reducing bounce and damage. #200~#3000: #200, #400, #800, #1500, #3000
φ200mm	12N				RD200	110.60	
φ250mm	15N				RD250	142.20	
φ300mm	18N				RD300	176.96	
φ350mm	24N				RD350	404.48	
φ400mm	32N				RD400	513.50	
φ500mm	32N				RD500	614.62	

Buff Disc for shining stone



O/D	H	ATTCH	Grit	Unit	Code	Euro	Remarks
φ150mm	10.0	Vecro or Screws	Black or White	PC	BD250	€102.70/PC	Bakelite Plate with female Velcro. For shining
φ200mm					BD200	203.82	
φ250mm					BD250	235.42	
φ300mm					BD300	398.16	
φ380mm					BD380	616.20	
φ430mm					BD430	1,085.46	

Disc Adaptor with male Velcro and for screws



O/D	H	Back	Type	Unit	Code	Euro	Remarks
φ150mm				PC	BP150	€53.72/PC	Screw patterns for various machine fittings. Male velcro to attach discs above
φ200mm					BP200	60.04	
φ250mm					BP250	72.68	
φ300mm					BP300	94.80	


Velcro with self-adhesive (male or female)



Width	Type	Unit	Code	Euro	Remarks
150mm	Self-Adhesive	M	VM	€10.43/PC	Remove oil paper and stick on
150mm			VF	10.43	

Floor Grinding for abrasive or hard concrete



Outer	T	ATTCH	Segments	Unit	Code	Euro	Remarks
φ250mm		Bolt-on	12	PC	GHO/T12	€560.90/PC	
			16		GHO/T16	616.20	
			20		GHO/T20	671.50	

Accura offer a complete design service for any profile shape, as well as standard popular shapes such as those shown below. For a discussion on your needs or a quotation please contact our experienced sales staff.

Toolholders ISO 40 / ISO 50 / HSK 80B



Grinding Wheel Holder
Drill Point Holder
Precision made, coated tool holders for smooth, long lasting, accurate performance

Collet Chuck Holder
Retention Knob

BAVELLONI, BREMBANBA N.T. O.T, INTERMAC, BRETON, VEM, NOAT, PEDRINI, BIMATECH, THIBAUT, DENVER, TECHNOVEMA

3 Stack EP Wheel for chamfering stone




O/D	H	Angle	Grit	Unit	Code	Euro	Remarks
φ25mm	10mm	45 °	#60	pc	EP3S6560	€304.94/PC	for chamfering stone
φ45mm	10mm		#120		EP3S45120	251.22	
φ25mm	10mm		#220		EP3S25220	219.62	
Adaptor	1/2" bspM fitting		1 set wheels		ADAP/EP3S	124.82	
Long Adaptor			2 set wheels		ADAP/EP3S/L	124.82	

Ball Race Profiler




For hand held shaping of sandstone M14 fitting

Double Bullnose



USAN Beveller



Demi-Longnose



Full Bullnose



Demi Bullnose



www.accura.ie

Tel + 353 (0) 1 610 5055

e-mail: info@accura.ie

TERMS AND CONDITIONS OF SALE

1. DEFINITION AND LAW

- (a) The "supplier" means AccurA its agents and assigns.
- (b) The "Purchaser" means the individual, individuals, firm or company purchasing goods from or otherwise dealing with the "Supplier".
- (c) The "Goods" means any and all items supplied by the Company to the Purchaser.

2. APPLICATION OF TERMS

- (a) All quotations and pricelists are given and all orders are accepted on these "Terms" which supersede any other terms in the "Suppliers" catalogue or elsewhere, and shall override and exclude any other terms stipulated or referred to by the Purchaser whether in his/her order or in any negotiations, and any course of dealing established between the Supplier and the Purchaser. All orders thereafter made by the Purchaser shall be deemed to be made subject to these "Terms".
- (b) No modification of these terms shall be effective unless specifically in writing and signed by the partners in the Supplier.

3. REPRESENTATIONS

The Supplier shall be under no liability whatsoever resulting from or arising out of or in connection with or in relation to any statement report or other representation made by any of its partners servants or agents before the contract between the Supplier and the Purchaser was entered into, unless the Purchaser shall give notice in writing to the Supplier before the contract is entered into that it intends to rely on any such statement report or other representation.

4. REFUSAL OF ORDERS

The Supplier reserves the right to accept or refuse any order given on the basis of its quotation or otherwise and in the event of the refusal of any order the Supplier shall not be liable for any loss or damage arising there from or in connection therewith or in relation thereto.

5. Many products are supplied by manufacturers in pack quantities.

The Supplier gives no guarantee or warranty that such quantities are accurate and accepts no responsibility for any discrepancies. Any pack quantities stated are approximate and may change without notice.

6. THE GOODS

- (a) The Supplier undertakes to replace or repair free of charge any Goods supplied which are defective in material or workmanship always provided that:
 - (i) whether or not Goods are defective in material or workmanship shall be for the sole decision of the Supplier;
 - (ii) the Supplier's undertaking shall only apply in respect of Goods of which a complaint is received by the Supplier within three days of delivery to the Purchaser. Any goods in respect of which this condition applies shall be returned to the Supplier in its original packaging within fourteen days of delivery to the Purchaser.
- (b) The Supplier shall be under no liability to the Purchaser whatsoever other than that set out in (a) above. Without prejudice to the generality of the foregoing the Supplier shall be under no liability for any consequential losses howsoever arising.
- (c) All conditions, warranties, terms, undertaking and obligations implied by statute, common law, custom, trade usage or otherwise (including without prejudice to the generality of the foregoing, any implied condition, warranty or undertaking as to correspondence of the goods with any contract description given, merchantable quality or fitness for any particular purpose) are hereby wholly excluded.
- (d) Without prejudice to the generality of the foregoing, the Supplier shall have no responsibility for providing any guard or protection necessary to comply with any statutory requirements in connection with any of the Goods.
- (e) Changes may occur to sizes and specifications of goods and in this event the Supplier may provide an approximate equivalent.

7. INDEMNITY

The Purchaser hereby undertakes to indemnify and keep the Supplier its servants and agents against all costs, damages, expenses, penalties, losses and other liabilities whatsoever, including, but without prejudice to the generality of the foregoing, liability for personal injury and death, damage to property and consequential losses, incurred as a result of or arising from or in connection with or in relation to any act, omission, word or deed, whether or not negligent, of the Supplier its servants or agents in pursuance of the supply of Goods hereunder.

8. PRICES, QUOTATIONS AND PAYMENTS

- (a) Goods will be invoiced and shall be paid for at the prices ruling at the time of despatch, The price list provided by the Supplier is for guidance only and all prices and quotations are subject to variation at any time without notice to the Purchaser. Unless otherwise stated all prices in the catalogue are exclusive of VAT.
- (b) Payment is due at end of month following date of invoice. If payment in full is not received by such date the Supplier reserves the right to charge interest on the outstanding balance at 3% above Bank of Ireland base rate, or the statutory rate of interest if higher. Interest may be charged from invoice date.
- (c) The Supplier reserves the right to demand payment of the price at any time.

9. SMALL ORDERS

Orders for Goods for which the total price is under €100 excluding VAT are subject to a carriage and packing charge. Minimum order level €25.00 excluding VAT + delivery.

10. RESERVATION OF TITLE

- (a) The property of the Goods shall not pass to the Purchaser until all sums owed to the Supplier on any account whatsoever have been paid notwithstanding that delivery has already taken place.
- (b) The Supplier shall be entitled to all rights of access to the Purchaser's premises to enforce its rights hereunder.

11. DELIVERY AND RISK

- (a) Unless otherwise stipulated and subject to Clause 2(b) above all Goods for delivery will be despatched by the conveyance of the Supplier's choice. Where the purchaser requires a different means of conveyance any cost must be paid by the Purchaser.
- (b) Whilst every effort will be made to avoid delay no responsibility is undertaken for meeting any specific delivery dates. Accordingly no liability will be accepted for any direct or indirect loss which may be caused by delayed delivery.
- (c) Risk in the Goods shall pass to the Purchaser on delivery.
- (d) The Supplier reserves the right to charge carriage to all destinations outside the Republic of Ireland.
- (e) Claims for damaged or missing goods may only be accepted if signed as such on receipt, and confirmed in writing enclosing a copy of the delivery note.
- (f) The supplier reserves the right to charge a haulage and packing charge on the following goods: - Electrical items weighing 30kg or over. This may be imposed irrespective of the order value.

12. RETURNED GOODS

- (a) Subject to (d) below, Goods may be returned to the supplier for credit or exchange for up to ten working days after the date of delivery provided that the delivery note or invoice number is quoted.
- (b) Save for Goods returned under clause 6(a) above, returned Goods will only be accepted by the Supplier if they are in a sound and resaleable condition. Whether Goods are sound and resaleable shall be for the sole decision of the Supplier. Any goods which the Supplier deems to be not re-saleable will only be returned to the Purchaser at the specific request of the Purchaser and at the Purchaser's expense. Notwithstanding the discretion of the Supplier in deciding whether goods are sound and resaleable, goods will not be deemed resaleable if they are returned in anything but their original packaging or the quantities of the goods returned are different from those originally supplied. It is the responsibility of the Purchaser to ensure returned goods are well packed as credit may be refused for goods damaged on the return journey.
- (c) Where goods returned for credit or exchange are goods which have been supplied in boxes or in quantities credit notes or exchange of goods will only be given if the goods are returned in their boxes and/or in the same quantities supplied to the Purchaser. Credit notes will normally only be issued if the Suppliers Collection Note has been issued to the Purchaser.
- (d) Save for goods returned under clause 6(a) above, AccurA reserves the right to make a charge for handling and restocking equal to 20% of the sale price of the goods returned plus the return carriage charge.
- (e) Goods especially obtained for the Purchaser may not be returned for credit or exchange.
- (f) When making a request to return products to us it should be made within the following timescales:

Shortage & damaged goods	24 hours
If signed such on receipt	
Picking errors (i.e. wrong goods)	3 working days
Faulty goods	3 working days
You should always obtain a signature (i.e. proof of collection) from the person collecting goods for return.	

13. THIS CONTRACT WILL BE GOVERNED BY AND INTERPRETED IN ACCORDANCE WITH THE LAWS OF THE REPUBLIC OF IRELAND